



Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Mole Drain Opener Granules
- · UFI: C1KJ-5DRP-HQ3K-2FKH
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against ·
- · Application of the substance / the mixture:

Cleaning material/ Detergent

Tube cleaner/ pipe cleaning agent

· Uses advised against:

Do not use on aluminium.

Do not use on gold-plated fittings.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Global Cosmed Group S.A.

ul. Kuziennicza 15, 59-400 JAWOR

Telefon +48 76 870 30 31; Fax +48 76 870 32 63

Nr statystyczny REGON - 390339667

www.globalcosmed.eu

sekretariat.jawor@globalcosmed.eu

Global Cosmed GmbH

Global Cosmed International GmbH

Osterbekstraße 90 a

D-22083 Hamburg, Germany

Tel. +49 40 64 60 429 - 0 (8:00 - 17:00)

Tel. +49 40 64 60 429 - 30 (8:00 - 17:00)

Fax +49 40 64 60 429 - 58

info@globalcosmed.de

www.globalcosmed.de

- · 1.4 Emergency telephone number:
- + 48 76 870 30 31 (Mo. to Fr. 8:00 16:00) or 112
- +49 40 64 60 429 0 (Mo. to Fr. 8:00 17:00) or 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

SODIUM HYDROXIDE (sodium hydroxide)

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.P234 Keep only in original packaging.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P405 Store locked up.

P411 Store at temperatures not exceeding 30°C.

P501 Dispose of contents/container in accordance with national regulations to disposal.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture: consisting of the following components.

· Dangerous components:		
CAS: 1310-73-2	SODIUM HYDROXIDE (sodium hydroxide)	≥30-<60%
EINECS: 215-185-5	♠ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
Index number: 011-002-00-6	Specific concentration limits: Skin Corr. 1A; H314: C≥5%	
Reg.nr.: 01-2119457892-27	Skin Corr. 1B; H314: 2 % ≤ C < 5	
	%	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2	
	%	
	<i>Eye Irrit. 2; H319: 0.5 %</i> ≤ <i>C</i> < 2 <i>%</i>	

Additional information: For the wording of the listed hazard phrases refer to section 16.

– FI





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rinse with warm water.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Avoid skin and eye contact.

Slipping hazard due to leaking product.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 3)

Prevent formation of dust.

Keep away from frost and heat.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store and transport uprightly.

- · Storage class: 8 B
- · 7.3 Specific end use(s)

The product is a cleaning product for household use. Observe the warnings and instructions on the packaging.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further relevant information available.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)

Inhalative DNEL - long-term, inhaled, local effect | 1 mg/m³ (worker)

DNEL - short-term, inhaled, local effect | 1 mg/m³ (consumer)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

· Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

· Eye protection:



Tightly sealed goggles

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Limitation and supervision of exposure into the environment

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch	hemical properties
· General Information	
· Appearance:	Granulate
Form: Colour:	White
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value at 20 °C:	>12 (1%)
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
	(Contd. on page 6)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

	(Contd. c	of pag
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Bulk density:	$1,000-1,500 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Solids content:	>99.8 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Corrosive action on metals.
- · 10.4 Conditions to avoid Keep away from frost and heat.
- · 10.5 Incompatible materials: Metals such as aluminum, zinc and tin.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)

Oral LD50 >2,000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)





Version number 2 Revision: 06.10.2021 Printing date 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 6)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)

Toxicity (fish): LC50

45.4 mg/l, 96 h (Oncorhynchus mykiss)

99 mg/l, 96 h (Lepomis macrochirus)

Toxicity (Daphnia): EC50 > 100 mg/l, 48 h (Daphnia magna)

· 12.2 Persistence and degradability

No information for the product available. The contained surfactants are readily biodegradable.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow undiluted product to reach sewage system.

Empty the container thoroughly.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Waste disposal key:

20 01 29

15 01 10

· Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 8)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 7)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN-Number ADR, IMDG, IATA	UN1823
14.2 UN proper shipping name ADR IMDG, IATA	1823 SODIUM HYDROXIDE, SOLID mixture SODIUM HYDROXIDE, SOLID mixture
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1823 SODIUM HYDROXIDE, SOLID MIXTURE, 8,





Version number 2 Revision: 06.10.2021 Printing date 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the describted product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing SDS:

Regulatory Affairs

MH

· Contact:

reg@globalcosmed.eu

info@globalcosmed.de

sekretariat.jawor@globalcosmed.eu

· Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)

IBC: Intermediate Bulk Container

ECHA: European Chemicals Agency

IVIS: In Vitro Irritancy Score

CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008

REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1907/2006

(Contd. on page 10)





Printing date 06.10.2021 Version number 2 Revision: 06.10.2021

Trade name: Mole Drain Opener Granules

(Contd. of page 9)

CE: Conformité Européenne (European Conformity)

Reg.nr.: Registration number

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

EC50: Effective concentration, 50 percent WEL: Workplace Exposure Limits

NOAEL (NOAEC): No observed adverse effect level (concentration)

NOEL (NOEC): No observed effect level (concentration)

NLP: No-Longer-Polymer

OECD: Organisation for Economic Co-operation and Development

TG: Test Guideline

BCOP: Bovine Corneal Opacity and Permeability Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* * Data compared to the previous version altered.