

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Mole WC GEL Active
- **UFI:** 1TWJ-6H5J-GQ3C-7K79
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:**
Cleaning material/ Detergent
Toilet-cleaner
- **Uses advised against:**
Do not use on aluminium.
Do not use on gold-plated fittings.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Global Cosmed Group S.A.
ul. Kuziennicza 15, 59-400 JAWOR
Telefon +48 76 870 30 31; Fax +48 76 870 32 63
Nr statystyczny REGON - 390339667
www.globalcosmed.eu
sekretariat.jawor@globalcosmed.eu
- Global Cosmed GmbH
Global Cosmed International GmbH
- Osterbekstraße 90 a
D-22083 Hamburg, Germany
Tel. +49 40 64 60 429 - 0 (8:00 - 17:00)
Tel. +49 40 64 60 429 - 30 (8:00 - 17:00)
Fax +49 40 64 60 429 - 58
info@globalcosmed.de
www.globalcosmed.de
- **1.4 Emergency telephone number:** +49 40 64 60 429 - 0 (Mo. to Fr. 8:00 - 17:00) or 112

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

- | | |
|-------------------|---|
| Met. Corr.1 | H290 May be corrosive to metals. |
| Skin Corr. 1A | H314 Causes severe skin burns and eye damage. |
| Eye Dam. 1 | H318 Causes serious eye damage. |
| Aquatic Chronic 3 | H412 Harmful to aquatic life with long lasting effects. |

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 1)

· Hazard pictograms



GHS05

· Signal word *Danger*

· Hazard-determining components of labelling:

SODIUM HYPOCHLORITE (sodium hypochlorite, solution)

MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)

SODIUM HYDROXIDE (sodium hydroxide)

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P405 Store locked up.

P411 Store at temperatures not exceeding 30°C.

P501 Dispose of contents/container in accordance with national regulations to disposal.

· Additional information:

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture: consisting of the following components.

Sodium hypochlorite, solution 1,5 - 2,3 % Cl active.

· Dangerous components:

CAS: 7681-52-9	SODIUM HYPOCHLORITE (sodium hypochlorite, solution)	≥1-<2.5%
EINECS: 231-668-3	⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1,	
Index number: 017-011-00-1	H400 (M=10); Aquatic Chronic 1, H410 (M=1)	
Reg.nr.: 01-2119488154-34	Specific concentration limit: EUH031: C ≥ 5 %	

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

		(Contd. of page 2)
CAS: 3332-27-2 EINECS: 222-059-3 Reg.nr.: 01-2119949262-37	MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide) Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥1-<2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27	SODIUM HYDROXIDE (sodium hydroxide) Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥1-<2%
· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
chlorine-based bleaching agents, non-ionic surfactants, anionic surfactants		<5%
perfumes		
· Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
 Immediately wash with water and soap and rinse thoroughly.
 Rinse with warm water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 Use fire extinguishing methods suitable to surrounding conditions.
 Water spray
- **5.2 Special hazards arising from the substance or mixture**
 During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Avoid skin and eye contact.
 Slipping hazard due to leaking product.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 3)

- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Keep away from frost and heat.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store and transport uprightly.
- **Storage class:** 8 B
- **7.3 Specific end use(s)**
The product is a cleaning product for household use. Observe the warnings and instructions on the packaging.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further relevant information available.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

7681-52-9 SODIUM HYPOCHLORITE (sodium hypochlorite, solution)

Dermal	DNEL - long-term, dermal, local effect	0.5 µg/cm ²
Inhalative	DNEL - long-term, inhaled, local effect	1.55 mg/m ³
	DNEL - long-term, inhaled, systemic effect	1.55 mg/m ³

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 4)

	DNEL - short-term, inhaled, systemic effect	3.1 mg/m ³
	DNEL - short-term, inhaled, local effect	3.1 mg/m ³
3332-27-2 MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)		
Oral	DNEL - long-term, oral, systemic effect	0.44 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	11 mg/kg (worker)
		5.5 mg/kg (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	6.2 mg/m ³ (worker)
		1.53 mg/m ³ (consumer)
1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)		
Inhalative	DNEL - long-term, inhaled, local effect	1 mg/m ³ (worker)
	DNEL - short-term, inhaled, local effect	1 mg/m ³ (consumer)

· PNECs
7681-52-9 SODIUM HYPOCHLORITE (sodium hypochlorite, solution)

PNEC water (fresh water)	0.21 µg/l
PNEC water (marine water)	0.042 µg/l
PNEC (sewage plant)	4.69 mg/l

3332-27-2 MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)

PNEC water (fresh water)	33.5 µg/l
PNEC water (marine water)	3.35 µg/l
PNEC water (intermittent)	33.5 µg/l
PNEC sediment (fresh water)	5.24 mg/kg
PNEC sediment (marine water)	0.524 mg/kg
PNEC (soil)	1.02 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls
· Personal protective equipment:
· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:


Protective gloves

Due to missing tests, it is not possible to give exact information about the glove material for the product.

Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

· Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 5)

· Penetration time of glove material

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

· Eye protection:


Tightly sealed goggles

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Limitation and supervision of exposure into the environment

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties
· General Information
· Appearance:

Form:	Liquid
Colour:	Colourless
· Odour:	Chlorine-like
· Odour threshold:	Not determined.

· pH-value at 20 °C:	>12-13
-----------------------------	--------

· Change in condition

Melting point/freezing point:	Undetermined.
--------------------------------------	---------------

Initial boiling point and boiling range:	Undetermined.
---	---------------

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gas):	Not applicable.
-------------------------------------	-----------------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Auto-ignition temperature:	Product is not selfigniting.
-------------------------------------	------------------------------

· Explosive properties:	Product does not present an explosion hazard.
--------------------------------	---

· Explosion limits:

Lower:	Not determined.
---------------	-----------------

Upper:	Not determined.
---------------	-----------------

· Vapour pressure at 20 °C:	23 hPa (7732-18-5 water)
------------------------------------	--------------------------

· Density at 20 °C:	0.9-1.2 g/cm ³
----------------------------	---------------------------

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 6)

· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	<20,000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	94.6 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Product is stable.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals.
- **10.4 Conditions to avoid** Keep away from frost and heat.
- **10.5 Incompatible materials:**
Warning! Do not use together with other products. May release dangerous gases (chlorine).
Metals such as aluminum, zinc and tin.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

 · **LD/LC50 values relevant for classification:**
ATE (Acute Toxicity Estimates)

Oral	LD50	115,000-124,583 mg/kg (rat)
------	------	-----------------------------

7681-52-9 SODIUM HYPOCHLORITE (sodium hypochlorite, solution)

Oral	LD50	5,800 mg/kg (mouse)
------	------	---------------------

Dermal	LD50	20,000 mg/kg (rabbit)
--------	------	-----------------------

3332-27-2 MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)

Oral	LD50	1,495 mg/kg (rat)
------	------	-------------------

1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 7)

- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

7681-52-9 SODIUM HYPOCHLORITE (sodium hypochlorite, solution)	
Toxicity (Algae): EC50	0.0365 mg/l, 72 h (Pseudokirchneriella subcapitata)
3332-27-2 MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)	
Toxicity (fish): LC50	>1-10 mg/l, 96 h (Brachydanio rerio) (OECD TG 203)
Toxicity (Daphnia): EC50	>1-10 mg/l, 48 h (Daphnia magna) (OECD TG 202)
Toxicity (Algae): EC50	>0.1-1 mg/l, 72 h (Pseudokirchneriella subcapitata) (OECD TG 201)
1310-73-2 SODIUM HYDROXIDE (sodium hydroxide)	
Toxicity (fish): LC50	45.4 mg/l, 96 h (Oncorhynchus mykiss) 99 mg/l, 96 h (Lepomis macrochirus)
Toxicity (Daphnia): EC50	>100 mg/l, 48 h (Daphnia magna)

· 12.2 Persistence and degradability

No information for the product available. The contained surfactants are readily biodegradable.

3332-27-2 MYRISTAMINE OXIDE (N,N-Dimethyltetradecylamine N-oxide)	
Readily biodegradable	% (-)

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· Ecotoxicological effects:

· **Remark:** Harmful to fish

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active


(Contd. of page 8)

- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Empty the container thoroughly.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **Waste disposal key:**
20 01 29
15 01 10
- **Uncleaned packaging:**
- **Recommendation:**
Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, IMDG, IATA | <p align="center">UN1719</p> |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG, IATA | <p align="center">1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION)
CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION)</p> |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center;">  </div> <p>· Class 8 Corrosive substances.
· Label 8</p> |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | <p align="center">II</p> |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | <p align="center">Not applicable.</p> |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category | <p align="center">Warning: Corrosive substances.
80
F-A,S-B
Alkalis
A</p> |

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 9)

· Segregation Code	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION), 8, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the described product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derive the purpose of describing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 10)

· Relevant phrases

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

· Classification according to Regulation (EC) No 1272/2008 Calculation method**· Department issuing SDS:**

Regulatory Affairs
MH

· Contact:

reg@globalcosmed.eu
info@globalcosmed.de

· Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)
IBC: Intermediate Bulk Container
ECHA: European Chemicals Agency
IVIS: In Vitro Irritancy Score
CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008
REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1907/2006
CE: Conformité Européenne (European Conformity)
Reg.nr.: Registration number
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
EC50: Effective concentration, 50 percent
WEL: Workplace Exposure Limits
NOAEL (NOAEC): No observed adverse effect level (concentration)
NOEL (NOEC): No observed effect level (concentration)
NLP: No-Longer-Polymer
OECD: Organisation for Economic Co-operation and Development
TG: Test Guideline
BCOP: Bovine Corneal Opacity and Permeability
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.10.2021

Version number 2

Revision: 05.10.2021

Trade name: Mole WC GEL Active

(Contd. of page 11)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· **** Data compared to the previous version altered.***

EU