



Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Mole WC GEL Power
- · UFI: UJS7-UQFK-PQ3F-Q4H8
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture:

Cleaning material/ Detergent

Toilet-cleaner

Biocide

- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Global Cosmed Group S.A.

ul. Kuziennicza 15, 59-400 JAWOR

Telefon +48 76 870 30 31; Fax +48 76 870 32 63

Nr statystyczny REGON - 390339667

www.globalcosmed.eu

sekretariat.jawor@globalcosmed.eu

.

Global Cosmed GmbH

Global Cosmed International GmbH

Osterbekstraße 90 a

D-22083 Hamburg, Germany

Tel. +49 40 64 60 429 - 0 (8:00 - 17:00)

Tel. +49 40 64 60 429 - 30 (8:00 - 17:00)

Fax +49 40 64 60 429 - 58

info@globalcosmed.de

www.global cosmed.de

· 1.4 Emergency telephone number: +49 40 64 60 429 - 0 (Mo. to Fr. 8:00 - 17:00) or 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



(Contd. of page 1)



Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

· Hazard pictograms



· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapours.

P280 Wear protective gloves / eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations to disposal.

· Additional information:

See Section 15 for additional information about biocidal product.

Contains biocidal products: Formic acid

- · 2.3 Other hazards
- ♦ Acid product
- ♦ *Do not use together with other products.*
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous components:				
CAS: 64-18-6	Formic acid	≥5-<10%		
EINECS: 200-579-1	♠ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H331; ♠ Skin Corr. 1B,			
Index number: 607-001-00-0	H314; ♠ Acute Tox. 4, H302, EUH071			
Reg.nr.: 01-2119491174-37	Reg.nr.: 01-2119491174-37 Specific concentration limits: Skin Corr. 1A; H314: C≥90 %			
	Skin Corr. 1B; H314: $10 \% \le C < 90$			
	%			
	Skin Irrit. 2; H315: 2 % ≤ C < 10 %			
	Eye Dam. 1; H318: C ≥ 10 %			
	Eye Irrit. 2; H319: $2\% \le C < 10\%$			
		.41 2		

(Contd. on page 3)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Conto	l. of page 2)
· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
non-ionic surfactants	<5%
disinfectants (FORMIC ACID), perfumes	
· Additional information: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture

 During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Avoid skin and eye contact.

Slipping hazard due to leaking product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from frost and heat.

- Information about fire and explosion protection: Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store and transport uprightly.

- · Storage class: 8 A
- · 7.3 Specific end use(s)

The product is a cleaning product for household use. Observe the warnings and instructions on the packaging.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient	s with limit values that require monitoring a	at the workplace:
64-18-6 Fe	ormic acid (≥5-<10%)	
IOELV Lo	ng-term value: 9 mg/m³, 5 ppm	
DNELs		
64-18-6 Fe	ormic acid	
Inhalative	DNEL - long-term, inhaled, local effect	9.5 mg/m³ (worker)
		3 mg/m³ (consumer)
	DNEL - long-term, inhaled, systemic effect	9.5 mg/m³ (worker)
		3 mg/m³ (consumer)
	DNEL - short-term, inhaled, systemic effect	19 mg/m³ (worker)
		9.5 mg/m³ (consumer)
	DNEL - short-term, inhaled, local effect	$19 \text{ mg/m}^3 \text{ (worker)}$
		$9.5 \text{ mg/m}^3 \text{ (consumer)}$
141-53-7 S	Sodium formate	
Oral	DNEL - long-term, oral, systemic effect	25 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	5,000 mg/kg (worker)
		2,500 mg/kg (consumer)
	DNEL - long-term, dermal, local effect	$8,300 \mu g/cm^2$ (consumer)
	DNEL - short-term, dermal, local effect	8.33 mg/cm² (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	353 mg/m³ (worker)
		87 mg/m³ (consumer)

(Contd. on page 5)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

				Contd. of page
	DNEL - short-term, i	inhaled, systemic effect	350 mg/m³ (worker)	
			87 mg/m³ (consumer)	
160901-19	9-9 C12-13 PARETH	-7 (Alcohols C12-13 br	anched and linear, ethoxylated)	
Oral	DNEL - long-term, o	ral, systemic effect	25 mg/kg (consumer)	
Dermal	DNEL - long-term, d	lermal, systemic effect	2,080 mg/kg (worker)	
			1,250 mg/kg (consumer)	
Inhalative	DNEL - long-term, i	nhaled, systemic effect	294 mg/m³ (worker)	
			87 mg/m³ (consumer)	
· PNECs				
64-18-6 F	ormic acid			
PNEC water (fresh water)		2,000 μg/l		
PNEC wat	er (marine water)	200 μg/l		
PNEC wat	er (intermittent)	1,000 μg/l		
PNEC sedi	iment (fresh water)	13.4 mg/kg		
PNEC sedi	iment (marine water)	1.34 mg/kg		
PNEC (soi	il)	1.5 mg/kg		
PNEC (sev	vage plant)	7.2 mg/l		
141-53-7 S	Sodium formate			
PNEC water (fresh water)		2,000 μg/l		
PNEC wat	er (marine water)	200 μg/l		
PNEC wat	er (intermittent)	10,000 μg/l		
PNEC sedi	iment (fresh water)	13.4 mg/kg		
PNEC sedi	iment (marine water)	1.34 mg/kg		
PNEC (soi	il)	1.5 mg/kg		
PNEC (sewage plant)		2.21 mg/l		
160901-19)-9 C12-13 PARETH	-7 (Alcohols C12-13 br	anched and linear, ethoxylated)	
PNEC water (fresh water)		80 μg/l		
PNEC water (marine water)		8 μg/l		
PNEC water (intermittent)		0.28 μg/l		
PNEC sediment (fresh water)		63.83 mg/kg		
·		6.38 mg/kg		
PNEC (soil)		1 mg/kg		
PNEC (sewage plant)		$10,000 \ mg/l$		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further relevant information available.
- · Individual protection measures, such as personal protective equipment
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 5)

· Hand protection



Protective gloves

Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

· Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

· Eye/face protection



Tightly sealed goggles

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Environmental exposure controls

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Blue
Pungent
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range ~100 °C (7732-18-5 water)

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined.

(Contd. on page 7)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

	(Contd. of page
Upper:	Not determined.
Flash point:	>70 °C (berechnet)
Decomposition temperature:	Not determined.
· pH at 20 °C	>2-3
· Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	<5,000 mPas
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	
· Vapour pressure at 20 °C:	~23 hPa (7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	$1.022\text{-}1.032 \text{ g/cm}^3$
Relative density	Not determined.
· Vapour density	Not determined.
•	
· 9.2 Other information · Appearance:	
Appearance. · Form:	Fluid
· Important information on protection of health a	
environment, and on safety.	mu
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	Troudet does not present an expression nazara.
Organic solvents:	0.0 %
· Water:	88.6 %
	00.0 /0
Change in condition	Not determined
Evaporation rate	Not determined.
Information with regard to physical hazard class	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	e
gases in contact with water	Void
Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 7)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Violent reactions with strong alkalis and oxidising agents.

Do not mix with other products.

- · 10.4 Conditions to avoid Keep away from frost and heat.
- · 10.5 Incompatible materials:

Do not use on surfaces sensitive to acids (enamel, marble, stone).

Do not mix with other products.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)			
Oral	LD50	8,378 mg/kg (mouse)	
Inhalative	LC50/4 h	94 mg/l (rat)	
(,		

64-18-6 Formic acid			
Oral	LD50	700 mg/kg (mouse)	
		730 mg/kg (rat) (OECD TG 401)	
Inhalative	LC50/4 h	7.85 mg/l (rat)	
141-53-7 Sodium formate			
Oral	LD50	11,200 mg/kg (mouse)	
		3,000 mg/kg (rat) (OECD TG 402)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD TG 402)	
160901-19	160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)		
Oral	LD50	>300-2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Based on available data, the classification criteria are not met.

141-53-7 Sodium formate

NOAEL 3,185 mg/kg/d (rat)

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

· 11.2 Inform	nation on other hazards (Contd.	of page 8
· Endocrine	disrupting properties	
	BUTYLPHENYL METHYLPROPIONAL	List II
1222-05-5	HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)	List II
118-58-1	benzyl salicylate	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
64-18-6 Formic acid		
Toxicity (fish): LC50	130 mg/l, 96 h (Brachydanio rerio) (OECD TG 203)	
	68 mg/l, 96 h (Leuciscus idus)	
Toxicity (Daphnia): EC50	32.19 mg/l, 48 h (Daphnia magna)	
Toxicity (Algea): EC50	32.64 mg/l, 72 h (Scenedesmus subspicatus)	
141-53-7 Sodium formate		
Toxicity (fish): LC50	>1,000 mg/l, 96 h (Oncorhynchus mykiss)	
Toxicity (Daphnia): EC50	>1,000 mg/l, 48 h (Daphnia magna)	
Toxicity (Algea): EC50	>1,000 mg/l, 72 h (Pseudokirchneriella subcapitata)	
160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)		
Toxicity (fish): LC50	>1-10 mg/l, 96 h (Cyprinus carpio) (OECD TG 203)	
Toxicity (Daphnia): EC50	>1-10 mg/l, 48 h (Daphnia magna) (OECD TG 202)	
Toxicity (Algea): EC50	>1-10 mg/l, 72 h (Desmodesmus subspicatus) (OECD TG 201)	

· 12.2 Persistence and degradability

No information for the product available. The contained surfactants are readily biodegradable.

64-18-6 Formic acid		
Readily biodegradable >90 %		
160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)		
Readily biodegradable >60 % (28 d) (OECD TG 301 B)		

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 10)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 9)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Empty the container thoroughly.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Waste disposal key:

20 01 29

15 01 10

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

ROSIVE LIQUID, ACIDIC, ORGANIC, N.O
ACID)
VE LIQUID, ACIDIC, ORGANIC, N.O.
ACID)
I

<u>viv</u>	
	7/

· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A

(Contd. on page 11)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

	(Contd. of page
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according	ng to IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANI
	N.O.S. (FORMIC ACID), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- Regulation (EU) No 528/2012 Making available on the market and using biocidal products:

This product is a biocide within the meaning of Regulation (EU) No 528/2012. Use biocidal products with care. Always read the label and product information before use.

- Product Type 2: Disinfectants and algaecides not intended for direct application to humans or animals.
- Active matter per 100 g: 8,4 g FORMIC ACID
- Poland:
- Law of February 25, 2011 on chemical substances and their mixtures, as amended
- Law of October 9, 2015 on biocidal products

(Contd. on page 12)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 11)

- Marketing authorization for biocidal product: ------
- Germany.
- Biocidal Registration Ordinance: BAuA Reg.-Nr. (Germany): N-101208
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the describted product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

EUH071 Corrosive to the respiratory tract.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

Regulatory Affairs

FS

· Contact:

reg@globalcosmed.eu

info@globalcosmed.de

sekretariat.jawor@globalcosmed.eu

Date of previous version: 10.08.2021

· Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)

IBC: Intermediate Bulk Container

IMO: International Maritime Organisation

ECHA: European Chemicals Agency

IVIS: In Vitro Irritancy Score

CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008

REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1907/2006

CE: Conformité Européenne (European Conformity)

Reg. no.: Registration number

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 13)





Printing date 26.07.2023 Version number 5.0 Revision: 26.07.2023

Trade name: Mole WC GEL Power

(Contd. of page 12)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative EC50: Effective concentration, 50 percent

WEL: Workplace Exposure Limits

NOAEL (NOAEC): No observed adverse effect level (concentration)

NOEL (NOEC): No observed effect level (concentration)

NLP: No-Longer-Polymer

OECD: Organisation for Economic Co-operation and Development

TG: Test Guideline

BCOP: Bovine Corneal Opacity and Permeability Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· * Data compared to the previous version altered.