



Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Sofin Complete Care & Black Color Protection Washing Caps
- · UFI: 3AXC-1QT2-3Q3S-YUM7
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: Detergents
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Global Cosmed Group S.A.

ul. Kuziennicza 15, 59-400 JAWOR

Telefon +48 76 870 30 31; Fax +48 76 870 32 63

Nr statystyczny REGON - 390339667

www.globalcosmed.eu

sekretariat.jawor@globalcosmed.eu

Global Cosmed GmbH

Global Cosmed International GmbH

Osterbekstraße 90 a

D-22083 Hamburg, Germany

Tel. +49 40 64 60 429 - 0 (8:00 - 17:00)

Tel. +49 40 64 60 429 - 30 (8:00 - 17:00)

Fax +49 40 64 60 429 - 58

info@globalcosmed.de

www.globalcosmed.de

- · 1.4 Emergency telephone number:
- +48 76 870 30 31 (Mo. to Fr. 8:00 16:00) or 112
- +49 40 64 60 429 0 (Mo. to Fr. 8:00 17:00) or 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 1)

· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations to disposal.

· Additional information:

EUH208 Contains ISOEUGENOL (Phenol, 2-methoxy-4-(1-propenyl)-), HEXYL CINNAMAL (α-hexylcinnamaldehyde). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties

1222-05-5 | HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN (1,3,4,6,7,8-hexahydro- | List II 4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

| CAS: 68891-38-3 | SODIUM LAURETH SULFATE (Alcohols C12-14 | ≥15-<25% |
|---|---|----------|
| NLP: 500-234-8 Reg.nr.: 01-2119488639-16 | ethoxylated, sulfates, sodium salt) Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Aquatic | |
| | <i>Chronic 3, H412</i> | |
| | Specific concentration limits: Eye Dam. 1; H318: $C \ge 10\%$ | |
| | Eye Irrit. 2; H319: $5 \% \le C < 10 \%$ | |
| CAS: 160901-19-9 | C12-13 PARETH-7 (Alcohols C12-13 branched and | ≥10-<15% |
| EC number: 931-954-4 | linear, ethoxylated) | |
| Reg.nr.: 01-2119490233-42 | <i>♦ Eye Dam. 1, H318; <i>♦ Acute Tox. 4, H302; Aquatic Chronic 3, H412</i></i> | |
| | Specific concentration limits: | |
| | Eye Dam. 1; H318: C ≥ 10% | |
| | Eye Irrit. 2; H319: $1 \% \le C < 10 \%$ | |
| CAS: 66071-80-5 | MEA-COCOATE (Fatty acids, coco, compds. with | ≥5-<10% |
| EINECS: 266-105-0 | ethanolamine) | |
| | (1) Skin Irrit. 2, H315; Eye Irrit. 2, H319 | |

- E





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

| | | (Contd. of page |
|-------------------------------|---|-----------------|
| CAS: 101-86-0 | HEXYL CINNAMAL (α-hexylcinnamaldehyde) | ≥0.1-<1% |
| EINECS: 202-983-3 | Acute Tox. 3, H331; 🕦 Skin Sens. 1, H317 | |
| Reg.nr.: 01-2119533092-50 | Ť | |
| CAS: 1222-05-5 | HEXAHYDROHEXAMETHYL | ≥0.1-<0.25% |
| EINECS: 214-946-9 | CYCLOPENTABENZOPYRAN (1,3,4,6,7,8-hexahydro- | |
| Index number: 603-212-00-7 | 4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran) | |
| Reg.nr.: 01-2119488227-29 | 🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | |
| CAS: 3811-73-2 | SODIUM PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium | ≥0.0025-<0.025 |
| EINECS: 223-296-5 | salt) | |
| Reg.nr.: 01-2119493385-28 | Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 | |
| | (M=100); Aquatic Chronic 2, H411; 1 Acute Tox. 4, | |
| | H302; Acute Tox. 4, H332 | |
| CAS: 97-54-1 | ISOEUGENOL (Phenol, 2-methoxy-4-(1-propenyl)-) | <0.01% |
| EINECS: 202-590-7 | ♠ Acute Tox. 4, H302; Skin Sens. 1A, H317 | |
| Index number: 604-094-00-X | Specific concentration limit: Skin Sens. 1A; H317: C ≥ | |
| | 0.01 % | |
| · Regulation (EC) No 648/2004 | 4 on detergents / Labelling for contents | |
| anionic surfactants | | ≥15 - <30% |
| non-ionic surfactants, soap | | ≥5 - <15% |
| phosphonates | | <5% |
| perfumes (HEXYL CINNAMA | L, GERANIOL, BENZYL SALICYLATE, COUMARIN), enzy | mes, |
| preservation agents | (PHENOXYETHANOL, SODIUM PYRITHIO | NE, |
| BENZISOTHIAZOLINONE) | | |
| · Additional information: For | the wording of the listed hazard phrases refer to section 16. | |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 3)

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact.

Slipping hazard due to leaking product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

No special measures required.

Keep away from frost and heat.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in dry conditions.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

Store and transport uprightly.

- · Storage class: 10
- · 7.3 Specific end use(s)

The product is a detergent for household cleaning. Observe the warnings and instructions on the packaging.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

Oral DNEL - long-term, oral, systemic effect 15 mg/kg (consumer)

(Contd. on page 5)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

| D 1 | DMFI 1 | 1 1 | (Contd. of page 12.750 |
|--|--|---|--|
| Dermal | DNEL - long-term, d | ermal, systemic effect | 2,750 mg/kg (worker) |
| | | | 1,650 mg/kg (consumer) |
| | DNEL - long-term, d | 'ermal, local effect | 132 μg/cm² (worker) |
| | | | 79 μg/cm² (consumer) |
| Inhalative | DNEL - long-term, ii | nhaled, systemic effect | 175 mg/m³ (worker) |
| 160901-19 | -9 C12-13 PARETH | -7 (Alcohols C12-13 bi | ranched and linear, ethoxylated) |
| Oral | DNEL - long-term, o | ral, systemic effect | 25 mg/kg (consumer) |
| Dermal | DNEL - long-term, d | ermal, systemic effect | 2,080 mg/kg (worker) |
| | | | 1,250 mg/kg (consumer) |
| Inhalative | DNEL - long-term, in | nhaled, systemic effect | 294 mg/m³ (worker) |
| | | | 87 mg/m³ (consumer) |
| PNECs | | | |
| 68891-38- | 3 SODIUM LAURET | TH SULFATE (Alcoho | ols C12-14 ethoxylated, sulfates, sodium salt) |
| | | | ns C12-14 einoxytutea, sutjates, soatum satt) |
| | er (fresh water) | 240 μg/l | ns C12-14 emoxytaleu, suijales, soulum sauj |
| PNEC wat | | 240 μg/l | ns C12-14 ethoxytatea, sutjates, soutum saitj |
| PNEC wat | er (fresh water) | 240 μg/l 24 μg/l | ns C12-14 ethoxytatea, sutjates, soutum sait) |
| PNEC wat PNEC wat PNEC wat | er (fresh water) er (marine water) | 240 μg/l | ns C12-14 emoxytatea, surfates, soutum sait) |
| PNEC wat PNEC wat PNEC wat PNEC sedi | er (fresh water) er (marine water) er (intermittent) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg | ns C12-14 ethoxytatea, sutjates, soutum sait) |
| PNEC wat PNEC wat PNEC wat PNEC sedu PNEC sedu | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg | ns C12-14 emoxytatea, suigutes, soutum suit |
| PNEC wat PNEC wat PNEC wat PNEC sedi PNEC sedi PNEC (soi | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg | ranched and linear, ethoxylated) |
| PNEC wat PNEC wat PNEC wat PNEC sedu PNEC sedu PNEC (soi 160901-19 | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg | |
| PNEC wate PNEC wate PNEC sedic PNEC sedic PNEC (soi 160901-19 | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) l) -9 C12-13 PARETH | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg 7 (Alcohols C12-13 bi 80 μg/l | |
| PNEC wate PNEC wate PNEC sedic PNEC sedic PNEC (soit 160901-19 PNEC wate PNEC wate | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) l) -9 C12-13 PARETH- er (fresh water) er (marine water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg 7 (Alcohols C12-13 bi 80 μg/l | |
| PNEC water PNEC water PNEC seding PNEC (soin 160901-19) PNEC water | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) l) P-9 C12-13 PARETH- er (fresh water) er (marine water) er (intermittent) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg -7 (Alcohols C12-13 bi 80 μg/l 8 μg/l 0.28 μg/l | |
| PNEC wate PNEC wate PNEC sedic PNEC (soi 160901-19 PNEC wate PNEC wate PNEC wate PNEC sedic | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) l) -9 C12-13 PARETH- er (fresh water) er (marine water) er (intermittent) iment (fresh water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg -7 (Alcohols C12-13 bi 80 μg/l 8 μg/l 0.28 μg/l 63.83 mg/kg | |
| PNEC wate PNEC wate PNEC sedic PNEC (soi 160901-19 PNEC wate PNEC wate PNEC wate PNEC sedic | er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) l) -9 C12-13 PARETH- er (fresh water) er (marine water) er (intermittent) iment (fresh water) iment (marine water) | 240 μg/l 24 μg/l 71 μg/l 0.9168 mg/kg 0.09168 mg/kg 7.5 mg/kg -7 (Alcohols C12-13 bi 80 μg/l 8 μg/l 0.28 μg/l | |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further relevant information available.
- · Individual protection measures, such as personal protective equipment
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

· Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective

(Contd. on page 6)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 5)

gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

· Eye/face protection



Tightly sealed goggles

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Environmental exposure controls

Do not allow product to reach ground water, water course or sewage system.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Different according to colouring

Odour: Pleasant
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined. Flammability Not applicable.

· Lower and upper explosion limit

 · Lower:
 2.6 Vol % (56-81-5 GLYCERIN (Glycerol))

 · Upper:
 11.3 Vol % (56-81-5 GLYCERIN (Glycerol))

 · Flash point:
 >100 °C (57-55-6 propane-1,2-diol)

• **Decomposition temperature:** Not determined.

• pH at 20 °C 8-9

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.
<1,000 mPas

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: <0.1 hPa (56-81-5 GLYCERIN (Glycerol))

· Vapour pressure at 50 °C: ~0 hPa

· Density and/or relative density

• **Density at 20 °C:** 0.9-1.1 g/cm³

(Contd. on page 7)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

| | (0, 11, 5, 1 |
|---|---|
| | (Contd. of page 6 |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · 9.2 Other information | |
| · Appearance: | |
| · Form: | Fluid |
| Important information on protection of heal environment, and on safety. | th and |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| · Solvent content: | 1 |
| · Organic solvents: | <51.8 % |
| · Water: | 9.3 % |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard o | classes |
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flamm | |
| gases in contact with water | Void |
| · Oxidising liquids | Void |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.

Oxidising liquidsOxidising solids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

Void

Void

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Keep away from frost and heat.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

т.





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 7)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | values rele | vant for classification: |
|------------|-------------|--|
| ATE (Acu | te Toxicity | Estimates) |
| Oral | LD50 | >2,013-13,423 mg/kg (rat) |
| Inhalative | LC50/4 h | >3,756 mg/l (rat) |
| 68891-38 | 3 SODIUM | A LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt) |
| Oral | LD50 | >5,000 mg/kg (rat) (OECD TG 401) |
| Dermal | LD50 | >2,000 mg/kg (rat) (OECD TG 402) |
| 160901-19 | -9 C12-13 | PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated) |
| Oral | LD50 | >300-2,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |
| 60-12-8 PI | HENETH | YL ALCOHOL (2-phenylethanol) |
| Oral | LD50 | 1,790 mg/kg (rat) (OECD TG 401) |
| Dermal | LD50 | 2,535 mg/kg (rabbit) (OECD TG 402) |
| 101-86-0 I | HEXYL CI | NNAMAL (α-hexylcinnamaldehyde) |
| Oral | LD50 | 3,100 mg/kg (rat) (OECD TG 401) |
| Dermal | LD50 | >3,000 mg/kg (rat) (OECD TG 402) |
| Inhalative | LC50/4 h | >5 mg/l (rat) (OECD TG 403) |
| 3811-73-2 | SODIUM | PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium salt) |
| Oral | LD50 | 1,208 mg/kg (rat) |
| Dermal | LD50 | 1,800 mg/kg (rabbit) |
| 97-54-1 IS | OEUGEN | OL (Phenol, 2-methoxy-4-(1-propenyl)-) |
| Oral | LD50 | 1,560 mg/kg (rat) |

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Based on available data, the classification criteria are not met.

68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >300 mg/kg bw/d (rat) (OECD TG 416)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Based on available data, the classification criteria are not met.

68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >225 mg/kg/d (rat) (OECD TG 408)

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

| · 11.2 Infori | nation on other hazards (Contd. | of page 8 |
|---------------|---|-----------|
| · Endocrine | disrupting properties | |
| 1222-05-5 | HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran) | List II |
| 118-58-1 | benzyl salicylate | List II |
| 1506-02-1 | 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid) | List II |

SECTION 12: Ecological information

· 12.1 Toxicity

| Aquatic toxicity: | |
|--------------------------------|---|
| 68891-38-3 SODIUM LAURET | TH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt) |
| Toxicity (fish): LC50 | >10-100 mg/l, 96 h (Leuciscus idus) |
| Toxicity chronic (fish): NOEC | >1-10 mg/l, 28 d (Leuciscus idus) |
| Toxicity (Daphnia): EC50 | >10-100 mg/l, 48 h (Daphnia magna) |
| Toxicity (Algea): EC50 | >10-100 mg/l, 72 h (Scenedesmus subspicatus) |
| 160901-19-9 C12-13 PARETH | 7 (Alcohols C12-13 branched and linear, ethoxylated) |
| Toxicity (fish): LC50 | >1-10 mg/l, 96 h (Cyprinus carpio) (OECD TG 203) |
| Toxicity (Daphnia): EC50 | >1-10 mg/l, 48 h (Daphnia magna) (OECD TG 202) |
| Toxicity (Algea): EC50 | >1-10 mg/l, 72 h (Desmodesmus subspicatus) (OECD TG 201) |
| 3811-73-2 SODIUM PYRITHI | ONE (Pyridine-2-thiol 1-oxide, sodium salt) |
| Toxicity (fish): LC50 | 0.0066 mg/l, 96 h (Oncorhynchus mykiss) |
| Toxicity (Daphnia): EC50 | 0.022 mg/l, 48 h (Daphnia magna) |
| Toxicity (Algea): EC50 | 0.46 mg/l, 72 h (Selenastrum capricornutum) |
| Toxicity chronic (Algea): NOEC | 0.08 mg/l, 72 h (Selenastrum capricornutum) (OECD TG 201) |

· 12.2 Persistence and degradability

No information for the product available. The contained surfactants are readily biodegradable.

| 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt) |
|--|
| Readily biodegradable >90 % (28 d) |
| 160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated) |
| Readily biodegradable >60 % (28 d) (OECD TG 301 B) |
| 3811-73-2 SODIUM PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium salt) |
| Readily biodegradable >70 % (OECD TG 301 B) |
| · 12.3 Rioaccumulative notential |

68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

Log Pow 0.3 (Potential: low)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 10)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 9)

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Empty the container thoroughly.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Waste disposal key:

20 01 29

15 01 10

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

| · 14.1 UN number or ID number · ADR, IMDG, IATA | Void | |
|---|------------------------------------|--|
| · 14.2 UN proper shipping name · ADR, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: | Not applicable. | |
| · 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. | |
| · UN "Model Regulation": | Void | |

- EU





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 10)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer ANNEX I (Ozone-depleting potential)
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the describted product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

(Contd. on page 12)





Printing date 16.08.2023 Version number 3.0 Revision: 16.08.2023

Trade name: Sofin Complete Care & Black Color Protection Washing Caps

(Contd. of page 11)

· Classification according to Regulation (EC) No 1272/2008

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9 (3) and Article 9 (4) of Regulation (EC) No 1272/2008.

Department issuing SDS:

Regulatory Affairs

FS

· Contact:

reg@globalcosmed.eu

sekretariat.jawor@globalcosmed.eu

Date of previous version: 11.04.2023

· Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)

IBC: Intermediate Bulk Container

IMO: International Maritime Organisation

ECHA: European Chemicals Agency

IVIS: In Vitro Irritancy Score

CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008

REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1907/2006

CE: Conformité Européenne (European Conformity)

Reg. no.: Registration number

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC50: Effective concentration, 50 percent

WEL: Workplace Exposure Limits

NOAEL (NOAEC): No observed adverse effect level (concentration)

NOEL (NOEC): No observed effect level (concentration)

NLP: No-Longer-Polymer

OECD: Organisation for Economic Co-operation and Development

TG: Test Guideline

BCOP: Bovine Corneal Opacity and Permeability

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.